





MATERIAL : GRAY IRON CASTING
SPECS : A) ASTM - A 48/A 48M - 03, CLASS 30B
 B) FEDERAL A-A-60005
COATING : PAINTED
LOAD : SUITABLE FOR AASHTO H20-44
 & HS 20-44 HIGHWAY LOADING
FINISH : BEARING SURFACES FOR FRAME &
 GRATE ARE MACHINED

GENERAL FOUNDRIES INC.
1160 STATE STREET PERTH AMBOY NJ 08861

24" X 7" MANHOLE FRAME & GRATE

DWG. NO. : 12472

REV. NO. :



DATE : MARCH 12, 2007

REV. DATE :

DWG. BY : CSK

SCALE : NONE

SHEET 1 OF 1



MATERIAL : GRAY IRON CASTING
SPECS : A) ASTM - A 48/A 48M - 03, CLASS 30B
 B) FEDERAL A-A-60005
COATING : PAINTED
LOAD : SUITABLE FOR AASHTO H20-44
 & HS 20-44 HIGHWAY LOADING
FINISH : BEARING SURFACES FOR FRAME &
 GRATE ARE MACHINED

GENERAL FOUNDRIES INC.
1160 STATE STREET PERTH AMBOY NJ 08861

**24" X 7" MANHOLE FRAME
 & SQUARE HOLE GRATE**

DWG. NO. : 12472 SQH

REV. NO. :


DATE : MARCH 12, 2007

REV. DATE :

DWG. BY : CSK

SCALE : NONE

SHEET 1 OF 1



A.D.A. COMPLIANT GRATE

RECOMMENDED FOR ALL WHEELCHAIR TRAFFIC

MATERIAL : GRAY IRON CASTING
SPECS : A) ASTM - A 48/A 48M - 03, CLASS 30B
 B) FEDERAL A-A-60005
COATING : PAINTED
LOAD : SUITABLE FOR AASHTO H20-44
 & HS 20-44 HIGHWAY LOADING
FINISH : BEARING SURFACES FOR FRAME &
 GRATE (ADA) ARE MACHINED

GENERAL FOUNDRIES INC.
1160 STATE STREET PERTH AMBOY NJ 08861
24" X 7" MANHOLE FRAME
& (ADA) GRATE
DWG. NO. : 12472 ADA **REV. NO. :**
DATE : MARCH 12, 2007 **REV. DATE :**
DWG. BY : CSK **SCALE : NONE** **SHEET 1 OF 1**