



GENERAL NOTES:

1. DESIGN CONFORMS TO CDOT AND LOCAL SPECIFICATIONS.
2. CONCRETE COMPRESSIVE STRENGTH: 4000 PSI @ 28 DAYS.
3. REINFORCING STEEL DEFORMED BARS CONFORM TO LATEST ASTM SPECIFICATION A615.
4. ALL REINFORCING SHALL HAVE 1/4" MIN. CONCRETE COVER.
5. METHOD OF MANUFACTURE: WET CAST.
6. STRUCTURE SHALL BE CAST USING A SELF COMPACTING CONCRETE MIX.
7. SECTION IS MONOLITHIC.
8. THE WORD "TRAFFIC" SHALL BE CAST INTO THE TOP EDGE OF HANDHOLE, 1 1/2" LETTERS.


APPROXIMATE WEIGHT: 1450 LBS.



(12) #3 REINFORCING BARS - PLAN VIEW




INSERT w/CLEANOUT DETAIL (N.T.S.)




ELEVATION

UNITED CONCRETE PRODUCTS, Inc		CONCRETE HANDHOLE - TYPE I w/"TRAFFIC"		UCP JOB NUMBER	
173 CHURCH STREET	YALESVILLE, CT 06492	JOB	SCALE 3/4" = 1'-0"	DATE	SHEET
TEL: (203)-289-3119		LOCATION		DRW	HH-1T
FAX: (203)-285-4941				CHK	




NOTE: GALVANIZE COMPLETE COVER ASSEMBLY AFTER WELDING.

APPROXIMATE WEIGHT: 65 LBS.





UNITED CONCRETE PRODUCTS, Inc 173 CHURCH STREET VALESVILLE, CT 06492 TEL: (203)-268-3119 FAX: (203)-265-4941		RECESSED TYPE COVER FOR TYPE I HANDHOLE UCP JOB NUMBER	
CUSTOMER	JOB	SCALE	3/4" = 1'-0" U.M.O.
LOCATION	DATE	DRW	SHEET
	CHK		RC-1



APPROXIMATE WEIGHT:

120 LBS.



UNITED CONCRETE PRODUCTS, Inc
 173 CHURCH STREET
 VALESVILLE, CT 06492
 TEL: (203)-268-3119
 FAX: (203)-265-4941

OVERLAP TYPE COVER FOR TYPE I HANDHOLE		UCP JOB NUMBER	
CUSTOMER		SCALE 3/4" = 1'-0" U.M.O.	
JOB		DATE	
LOCATION		DRW	
		CHK	
		SHEET	
		OC-1	